



SÄHKÖTYÖKONEET

TEOLLISUUSHINNASTO 03.08.2011 ALV 0 %

Hinnasto on voimassa toistaiseksi, ilman arvonlisäveroa. Kysy myös kampanjahintojamme

Tilausnumero	Konetyyppi	Poraus- Ø mm teräkseen	Teho W	Vaihteet/ elektroniikka/ oikea/vasen =RL	Euro alv 0 %
--------------	------------	------------------------------	-----------	--	-----------------

PORAKONEET

7 205 43 51 010	BOP 6 Set	6	500	1/e/ RL	298,-
7 205 44 51 010	BOP 10 Set	10	500	1/e/ RL	298,-
7 205 45 51 010	BOP 10-2 Set	10/8	500	2/e/RL	372,-
7 205 40 00 236	DSeu 638	13/8	500	2/e/RL	375,-
7 201 06 00 226	ASz 648 a	13	740	1 / - / -	492,-
7 201 14 00 226	ASze 648 a	16	740	1 / e / -	515,-
7 202 03 00 224	DS 648	16 /10	740	2 / - / -	625,-
7 202 10 00 222	DSe 648	10 /10	740	2 / e / -	639,-



Yllämainittujen koneiden hintoihin sisältyy pikaistukka. BOP-mallit muovilaukussa.

7 202 26 00 222	DSk 658-1 (MK2) 23 /13	720	2 / - / -	805,-
7 202 09 00 227	DSke 672 (MK3) 26 /19	1050	2 / e / -	1.320,-
7 205 01 00 228	DDsk 672-1 (MK3) 32	1050	4 / - /RL	1.475,-



Istukat ja karat lisävarusteina edellisiin; (eivät sisälly hintoihin):

6 330 10 08 007	kara MK 2, B16	16,40
6 330 10 12 005	kara MK 3, B16	19,00
6 320 40 25 003	pikaistukka 3-16 mm, B16	100,00
6 320 20 37 010	hammaskehäistukka, 16 mm, B16	68,00

ISKUPORAKONE

7 204 30 00 235	DScEU 638 13 /8 pikaistukalla	450	2 / e / RL	291,-
-----------------	----------------------------------	-----	------------	-------

Tilausnumero	Konetyyppi	Poraus- Ø mm teräkseen	Teho W	Vaihteet/ elektroniikka/ oikea/vasen =RL	Euro alv 0 %
--------------	------------	------------------------------	-----------	--	-----------------

MAGNEETTIPORAJYRSIMET

7 270 27 00 235	KBM 32 Q	32	700	1/e	1.395,-
7 270 30 00 234	KBM 50 Q	12-50	1200	2/ e / -	2.090,-
7 270 31 00 233	KBM 52 U	12-50	1200	2/ e / RL	2.330,-
7 270 28 00 231	KBM 65 QF	12-65 (säätö)	1460	2/ e / -	2.780,-
7 270 32 00 230	KBM 80 autom.	12-80	2000	3/ e / RL	3.865,-
7 271 01 61 000	KBH 25	25	1200		684,-

MAGNEETTIPORATELINEET

9 03 14 223 002	MBS23F kaula 53 mm, säätömahd.				1.830,-
9 03 15 223 003	MBS23 kaula 53 mm				1.550,-
9 03 16 223 008	MBS32F kaula 63 mm, säätömahd.				2.390,-
9 03 17 223 009	MBS 16, kaula 43 mm				895,-

KULMAPORAKONEET

7 205 34 00 220	ASzxeu 636-1	8	330	1 / e / RL	398,-
7 203 04 00 230	ASzx 648-1	15	740	1 / - / -	795,-*

AKKUPORAKONEET (hintoihin sis. 2 akkua, laukku ja 1 h latauslaite)

7 113 01 50 015	ABS 9 NiCd-akku Ah 1,4	9,6 V	1 / e / RL	203,-
7 113 01 51 014	ABS 9 NiMH-akku Ah 2,0	9,6 V	1 / e / RL	245,-
7 113 02 51 010	ABS 12 NiMH-akku Ah 3,0	12 V	1 / e / RL	385,-
7 113 03 51 016	ABS 14 NiMH-akku Ah 3,0	14 V	1 / e / RL	459,-
7 104 03 51 015	ASB 14 NiMH-akku Ah 3,0	14 V	isku	472,-
7 113 06 51 011	ABS 18 NiMH-akku Ah 3,0	18 V	1 / e / RL	519,-
7 104 04 51 011	ASB 18 NiMH-akku Ah 3,0	18 V	isku	529,-

Vara-akut

9 26 04 070 024	Akku NiMH 2,0 Ah (ABS9)			104,00
9 26 04 071 023	Akku NiMH 3,0 Ah (ABS12)			126,80
9 26 04 072 026	Akku NiMH 3,0 Ah (ABS14)			163,60
9 26 04 086 024	Akku NiMH 3,0 Ah (ABS18)			195,70

Laturit

9 26 04 073 014	Latauslaite			145,20
-----------------	-------------	--	--	--------

KIERTEITYSKONEET

7 209 37 00 224	ASge 636	M8	280	1 / e / RL	610,-*
6 320 60 63 012	holkki-istukka edelliselle				102,-
7 209 16 00 223	ASge 648	M12	650	1 / e / RL	820,-*
6 320 60 67 011	holkki-istukka edelliselle				119,-

* istukka ei sisälly hintaan



Tilausnumero	Konetyyppi	Ruuvin Ø mm	Teho W	Vaihteet/ elektroniikka/ o/v = RL	Euro alv 0 %
--------------	------------	----------------	-----------	---	-----------------

RUUVINVÄÄNTIMET

7 213 13 00 230	SCT 5-40X	5,0	450		264,-
7 213 06 50 018	SCT 5-40 M	5,0	450		446,-
7 113 08 52 000	ASCT 5-40 M (akkuk.)	5,0	14,4 V		698,-
7 113 08 51 000	ASCT 5-40 (akkuk.)	5,0	14,4 V		565,-
7 213 04 00 239	SCS 4.8-25	4,8	450		299,-
7 213 09 00 236	SCS 6.3-19X	6,3	450		345,-
7 210 94 00 239	SCU 7-9	7,0	450		375,-
7 210 98 00 230	SCW 16-6	16,0	740	1 / - / RL	872,-



9 010 40 07 010	Ruuvausmakasiini (SCT 5-40M)				279,-
9 010 40 06 010	Jatkovarsi 600 mm (SCT 5-40M)				173,-

ISKEVÄT MUTTERINKIRISTÄJÄT

7 215 29 00 225	ASb 636	M8-M14	230	1 / - / RL	655,-
7 215 28 00 229	ASbe 642	M8-M18	400	1 / e / RL	732,- ML
7 215 07 00 220	ASb 648	M12-M22	450	1 / - / RL	815,-
7 215 08 00 226	ASbe 648	M12-M22	450	1 / e / RL	895,-
7 215 25 00 224	ASb 658-1	M18-M27	550	1 / - / RL	1.430,-

ML = metallilaukussa



Tilausnumero	Konetyyppi	laikan koko	Teho W	Avaimeton laikanvaihto	Euro alv 0 %
--------------	------------	----------------	-----------	---------------------------	-----------------

KULMAHIOMAKONEET

7 221 40 00 230	WSS 14-125	125	1200	on	255,-
7 221 44 00 230	WSG 14-125S	125	1200	- (7000 r/min)	250,-
7 221 41 00 230	WSG 14-125	125	1200	-	235,-
7 221 42 24 230	WSG 14-150	150	1200	-	250,-
7 221 43 00 230	WSG 14-70E	125	1200	- (säädettävä)	299,-
7 221 62 00 230	WSG 10-125S	125	800	-	229,-
7 221 47 00 230	WSB 14-125T	125	1200	on + jarru	269,-



7 221 31 00 230	MSfv 649-1	125	650	-	619,-
7 221 05 29 232	WSB 20-180	180	2000	on + jarru	319,-
7 221 06 29 235	WSB 20-230	230	2000	on + jarru	319,-
7 221 07 29 231	WSG 20-180	180	2000	-	298,-
7 221 08 29 237	WSG 20-230	230	2000	-	298,-
7 221 11 29 237	WSB 25-230X	230	2500	on + jarru	372,-
7 221 27 29 230	WSG 25-230	230	2500	-	363,-

Tilausnumero	Konetyyppi	laikan koko	Teho W	Kierrosluku	Euro alv 0 %
--------------	------------	----------------	-----------	-------------	-----------------

KIILLOTUSKONEET

7 221 48 00 230	WPO 14-15E (auto)	230	1200	500-1500	425,-
7 221 50 00 230	WPO 14-15XE	230	1200	200-1500	405,-
7 221 49 00 230	WPO 14-25E	230	1200	900-2500	425,-
7 221 48 50 010	WPO 14-15E Marine set	230	1200	500-1500	545,-

**ROLL-MATONIRROTTAJAT**

1714570	Roll matonirrotin (WSG 20-230)				1.473,-
1513560	Timanttihiomakone RO-125				812,-

Tilausnumero	Konetyyppi	laikan koko	Teho W	Kierrosluku	Euro alv 0 %
--------------	------------	----------------	-----------	-------------	-----------------

SUORAHIOMAKONEET

7 223 02 00 220	AHSI 636 c	50	280	5500	432,-
7 223 03 00 226	Msh 636-1	20	280	36000	445,-
7 223 14 00 230	Msh 648-1	50	650	28000	645,-
7 223 14 95 230	Mshe 648-1	50	650	8500-28000	715,-
7 223 12 00 229	MSh 635	13	350	48000	452,-

**MONITOIMIKONEET**

				<u>Värahdyistä/min</u>	
7 229 36 61 000	Multimaster FMM Start Plus	250		11.000-20.000	199,-
7 229 37 50 010	Multimaster FMM 250Q Select Plus	250		11.000-20.000	297,-
7 229 37 51 010	Multimaster FMM 250Q Top Plus	250		11.000-20.000	359,-
7 229 37 54 010	MultiMaster Marine Top	250		11.000-20.000	449,-
7 129 09 00 230	Akkumultimaster AFMM 14	14,4 V		11.000-18.000	459,-



7 236 42 50 010	Supercut FSC 1.6Q		400	11.000-18.500	586,-
7 236 42 55 010	Supercut FSC 1.6Q autokorj.srj		400	11.000-18.500	725,-
7 236 42 56 010	Supercut FSC 1.6Q lasinp.sarja		400	11.000-18.500	725,-
7 236 42 57 010	Supercut FSC 1.6Q Cargosarja		400	11.000-18.500	725,-

7 236 36 50 010	Supercut FSC 2.0Q		400	11.000-18.500	586,-
7 236 36 52 010	Supercut FSC 2.0Q puutyös.rj.		400	11.000-18.500	725,-
7 236 35 53 010	Supercut FSC 2.0Q laatat		400	11.000-18.500	725,-
7 236 36 55 010	Supercut FSC 2.0QMarine Set		400	11.000-18.500	725,-

7 136 01 00 230	AkkuSuperCut AFSC 18		18V/2,4 Ah	11.000 -18.500	708,-
7 136 01 52 010	AkkuSuperCut AFSC 18 puutyös.rj.		18V/2,4 Ah	11.000 -18.500	845,-
7 136 01 53 010	AkkuSuperCut AFSC 18 laat.srj.		18V/2,4 Ah	11.000 -18.500	845,-



9 260 41 24 020	akku 18 V Li-ion		18V/2,4 Ah		198,-
9 260 40 96 010	pikalatauslaite ALG 30 AFSC+AFMM				145,-
9 260 41 53 020	akku 14,4 V Li-ion		14,4V/3 Ah		129,-
9 260 41 29 010	latauslaite ALG 50 AFMM				75,-

Tilausnumero	Konetyyppi	Iskuluku	Teho W	Työvahvuus teräkseen mm	Euro alv 0 %
--------------	------------	----------	-----------	----------------------------	-----------------

EPÄKESKOHIOMAKONE

7 220 78 00 225 MSf 636-1 (150/125/110 mm) 380

555,-

**LEVYLEIKKURIT**

7 230 29 00 231 BLS 1.6X 4000 350 1,6 549,-

7 230 26 00 233 BLS 2.5 1500 350 2,5 795,-

7 230 23 00 238 BLS 3.5 1500 1200 3,5 1.455,-

7 230 24 00 234 BLS 4.2 750 1200 4,2 1.535,-

7 230 27 00 239 BSS 1.6 3800 350 1,6 570,-

7 230 28 00 235 BSS 1.6 C 3800 350 1,6 647,-

7 230 22 00 232 BSS 2.0 2200 350 2,0 725,-

**DRÄCO-LEIKKURIT**

kts. erillinen hinnasto

Tilausnumero	Konetyyppi	Iskuluku	Teho W	Työvahvuus teräkseen mm	Euro alv 0 %
--------------	------------	----------	-----------	----------------------------	-----------------

NAKERTAJAT

7 232 36 00 236 BLK 1.3 CS 1800 350 1,3 563,-

7 232 35 00 233 BLK 1.3 T 1800 350 1,3 563,-

7 232 32 00 235 BLK 1.6 1500 350 1,6 572,-

7 232 37 00 232 BLK 1.6L 1500 350 1,6 792,-

7 232 29 00 233 BLK 2.0 1000 350 2,0 765,-

7 232 30 00 230 BLK 3.5 750 1200 3,5 1.465,-

7 232 31 00 239 BLK 5.0 750 1200 5,0 2.035,-

**PISTOSAHAT**

7 234 15 00 230 ASte 638 1050-2600 450 10 472,-

7 234 17 00 239 ASt 638 3350 350 8 445,-

7 234 06 00 228 ASte 649-1 750-2600 750 25 1.420,-

7 234 23 00 230 AStxe 649 -1 100- 350 750 440 (putket) 1.940,-

7 534 08 00 000 STS 325R (paineilma) 330 6 bar 440 (putket) 2.450,-

**PUTKIHIOIMAKONE**

7 221 13 51 013 RS 12-70 E 2700-7000 1200 8-80 mm 1.365,-

7 221 66 60 000 RS 10-70 E 2700-7000 800 8-80 mm 1.108,-

Putken läpimittaKierrosluku

7 228 05 51 000 BF 10-28E nauhaviila 10.000-28.000 800 614,-

KEVENTIMET

	<u>Kantavuus kg</u>	
9 08 01 012 008	0,5 - 1,5	84,-
9 08 01 023 001	1,5 - 2,5	95,-
9 08 01 024 009	1 - 3	194,-
9 08 01 025 003	2,5 - 5	199,-
9 08 01 026 006	3,5 - 6,5	220,-
9 08 01 027 000	4,5 - 9	237,-
9 08 01 028 008	7,5 - 11,5	241,-
9 08 01 029 002	10 - 14	258,-
9 08 01 030 004	13,5 - 17	268,-
9 08 01 048 006	13 - 25	737,-
9 08 01 049 000	22 - 32	758,-



IMURIT Käynnistysautomatiikalla		<u>Ilmamäärä l/min</u>	<u>Teho</u>	<u>Säiliö ltr</u>	
9 20 22 223 010	Dustex 25	3300	1300 W	24	330,-
9 20 23 223 010	Dustex 40	3600	1500 W	40	385,-